



# Tyre Chart

## **Section 1**

Passenger and Light Trucks  
Pg. 2-4

## **Section 2**

Highway Trucks and Busses  
Pg. 5-6

## **Section 3**

Main Chart  
(Industrial, Mining/Logging,  
Agricultural, etc.)  
Pg. 7-14

## **Section 4**

All Terrain Vehicles  
Pg. 15

## **Section 5**

Motorcycles and Scooters  
Pg. 16-17

## **Section 6**

Bicycles  
Pg. 18

1 oz. = 1 unit on pump.

Tyres are organized by rim size which is the last number in a tyre designation. For example, a P205/70R16 is a tyre for a 16 inch rim.

**NOTE:** Tyre sealants are not recommended for /35, /40 or /45 series tyres due to tyre design characteristics potentially causing imbalance vibrations. For special applications, technical support, or general questions, please call your supplier:

**Distributed in New Zealand by: Automazing Ltd.**

**CALLFREE: 0508 246 246**

**Email: [info@automazing.co.nz](mailto:info@automazing.co.nz)**

**Website: [www.automazing.co.nz](http://www.automazing.co.nz)**

rev 1109

# Passenger and Light Truck

## Rims 10" - 14"

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
<b>10" Rims</b>			P165/65R13	<b>9</b>	<b>0.27</b>	P225/70R14	<b>14</b>	<b>0.41</b>
135/95-10LT	<b>6</b>	<b>0.18</b>	175/65-13	<b>10</b>	<b>0.30</b>	P235/70R14	<b>15</b>	<b>0.44</b>
145/95-10LT	<b>7</b>	<b>0.21</b>	185/65-13	<b>10</b>	<b>0.30</b>	P245/70R14	<b>16</b>	<b>0.47</b>
135/80-10	<b>5</b>	<b>0.15</b>	P195/65R13	<b>11</b>	<b>0.33</b>	155/65R14	<b>8</b>	<b>0.24</b>
145/80-10	<b>6</b>	<b>0.18</b>	155/60-13	<b>8</b>	<b>0.24</b>	P165/65R14	<b>9</b>	<b>0.27</b>
165/70-10	<b>7</b>	<b>0.21</b>	165/60-13	<b>9</b>	<b>0.27</b>	P175/65R14	<b>10</b>	<b>0.30</b>
155/65-10LT	<b>7</b>	<b>0.21</b>	175/60-13	<b>9</b>	<b>0.27</b>	P185/65R14	<b>11</b>	<b>0.33</b>
145-10LT	<b>6</b>	<b>0.18</b>	P185/60R13	<b>10</b>	<b>0.30</b>	P195/65R14	<b>12</b>	<b>0.35</b>
5.00-10LT	<b>6</b>	<b>0.18</b>	P195/60R13	<b>11</b>	<b>0.33</b>	205/65-14	<b>13</b>	<b>0.38</b>
5.20-10	<b>6</b>	<b>0.18</b>	P205/60R13	<b>12</b>	<b>0.35</b>	P215/65R14	<b>14</b>	<b>0.41</b>
<b>12" Rims</b>			P215/60R13	<b>13</b>	<b>0.38</b>	165/60R14	<b>9</b>	<b>0.27</b>
135/95-12LT	<b>7</b>	<b>0.20</b>	P235/60R13	<b>14</b>	<b>0.41</b>	P175/60R14	<b>10</b>	<b>0.30</b>
145/95-12LT	<b>8</b>	<b>0.23</b>	185/55-13	<b>8</b>	<b>0.24</b>	P185/60R14	<b>11</b>	<b>0.33</b>
135/80-12	<b>6</b>	<b>0.18</b>	195/55-13	<b>10</b>	<b>0.30</b>	P195/60R14	<b>12</b>	<b>0.35</b>
P145/80R12	<b>7</b>	<b>0.21</b>	145R13	<b>7</b>	<b>0.21</b>	P205/60R14	<b>12</b>	<b>0.35</b>
P155/80R12	<b>7</b>	<b>0.21</b>	155R13	<b>8</b>	<b>0.24</b>	P215/60R14	<b>13</b>	<b>0.38</b>
145/70-12	<b>7</b>	<b>0.21</b>	155-13LT	<b>8</b>	<b>0.24</b>	P225/60R14	<b>14</b>	<b>0.41</b>
155/70-12	<b>7</b>	<b>0.21</b>	165R13	<b>9</b>	<b>0.27</b>	P235/60R14	<b>15</b>	<b>0.44</b>
P165/70(R, D)12	<b>8</b>	<b>0.24</b>	165-13LT	<b>9</b>	<b>0.27</b>	P245/60R14	<b>16</b>	<b>0.47</b>
175/70-12	<b>9</b>	<b>0.27</b>	175R13	<b>9</b>	<b>0.27</b>	P255/60R14	<b>17</b>	<b>0.50</b>
155/65-12	<b>8</b>	<b>0.24</b>	5.50-13LT	<b>8</b>	<b>0.24</b>	P265/60R14	<b>18</b>	<b>0.53</b>
165/60-12	<b>8</b>	<b>0.24</b>	5.60-13	<b>8</b>	<b>0.24</b>	P275/60R14	<b>19</b>	<b>0.56</b>
145-12LT	<b>7</b>	<b>0.21</b>	6.00-13LT	<b>10</b>	<b>0.30</b>	155/55-14	<b>8</b>	<b>0.24</b>
155R12	<b>7</b>	<b>0.21</b>	6.15-13	<b>8</b>	<b>0.24</b>	165/55-14	<b>8</b>	<b>0.24</b>
155-12LT	<b>7</b>	<b>0.21</b>	6.45-13	<b>9</b>	<b>0.27</b>	185/55-14	<b>10</b>	<b>0.30</b>
5.50-12	<b>7</b>	<b>0.21</b>	7.00-13	<b>12</b>	<b>0.35</b>	195/55-14	<b>11</b>	<b>0.33</b>
5.65-12	<b>7</b>	<b>0.21</b>	<b>13.5" Rims</b>			P205/55R14	<b>12</b>	<b>0.35</b>
<b>13" Rims</b>			175/60-13.5LT	<b>9</b>	<b>0.27</b>	205/55-14	<b>12</b>	<b>0.35</b>
155/95-13LT	<b>9</b>	<b>0.27</b>	<b>14" Rims</b>			P255/55R14	<b>17</b>	<b>0.50</b>
165/95-13LT	<b>10</b>	<b>0.29</b>	165/95-14LT	<b>10</b>	<b>0.31</b>	145R14	<b>7</b>	<b>0.21</b>
135/80-13	<b>6</b>	<b>0.18</b>	175/95-14LT	<b>11</b>	<b>0.34</b>	155R14	<b>8</b>	<b>0.24</b>
P145/80(R, D)13	<b>7</b>	<b>0.21</b>	P165/80(R, D)14	<b>9</b>	<b>0.27</b>	165R14	<b>9</b>	<b>0.27</b>
P155/80R13	<b>8</b>	<b>0.24</b>	P175/80(R, D)14	<b>10</b>	<b>0.30</b>	165-14LT	<b>9</b>	<b>0.27</b>
P165/80R13	<b>8</b>	<b>0.24</b>	P185/80(R, D)14	<b>11</b>	<b>0.33</b>	175R14	<b>10</b>	<b>0.30</b>
P175/80R13	<b>9</b>	<b>0.27</b>	195/80-14	<b>12</b>	<b>0.35</b>	175-14LT	<b>10</b>	<b>0.30</b>
P185/80R13	<b>10</b>	<b>0.30</b>	205/80-14	<b>12</b>	<b>0.35</b>	185R14	<b>11</b>	<b>0.33</b>
P165/75(R, D)13	<b>8</b>	<b>0.24</b>	(P, LT)175/75R14	<b>10</b>	<b>0.30</b>	185-14LT	<b>11</b>	<b>0.33</b>
P175/75(R, D)13	<b>9</b>	<b>0.27</b>	(P, LT)185/75R14	<b>10</b>	<b>0.30</b>	195-14LT	<b>12</b>	<b>0.35</b>
P185/75(R, D)13	<b>10</b>	<b>0.30</b>	(P, LT)195/75R14	<b>11</b>	<b>0.33</b>	5.5-14LT	<b>9</b>	<b>0.27</b>
145/70R13	<b>7</b>	<b>0.21</b>	P205/75R14	<b>12</b>	<b>0.35</b>	6.00-14LT	<b>10</b>	<b>0.30</b>
P155/70R13	<b>8</b>	<b>0.24</b>	(P, LT)215/75R14	<b>13</b>	<b>0.38</b>	6.40-14	<b>9</b>	<b>0.27</b>
P165/70R13	<b>9</b>	<b>0.27</b>	P225/75R14	<b>14</b>	<b>0.41</b>	6.45-14	<b>9</b>	<b>0.27</b>
P175/70R13	<b>9</b>	<b>0.27</b>	165/70-14	<b>9</b>	<b>0.27</b>	6.50-14LT	<b>11</b>	<b>0.33</b>
P185/70R13	<b>10</b>	<b>0.30</b>	P175/70R14	<b>10</b>	<b>0.30</b>	6.95-14	<b>10</b>	<b>0.30</b>
P195/70R13	<b>11</b>	<b>0.33</b>	P185/70R14	<b>11</b>	<b>0.33</b>	7.00-14LT	<b>11</b>	<b>0.33</b>
P205/70R13	<b>12</b>	<b>0.35</b>	P195/70R14	<b>12</b>	<b>0.35</b>	7.90-14LT	<b>12</b>	<b>0.35</b>
145/65-13	<b>7</b>	<b>0.21</b>	(P, LT)205/70R14	<b>13</b>	<b>0.38</b>	8.00-14	<b>13</b>	<b>0.38</b>
155/65-13	<b>8</b>	<b>0.24</b>	(P, LT)215/70R14	<b>14</b>	<b>0.41</b>	8.50-14LT	<b>13</b>	<b>0.38</b>

# Passenger and Light Truck

## Rims 14" - 16"

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
11.00-14LT	19	0.56	P255/65R15	19	0.56	12.10-15	26	0.77
26x8.50R14LT	12	0.35	P295/65R15	23	0.68	L78-15LT	16	0.47
27x8.50R14LT	13	0.38	155/60R15	8	0.24	28x8.5-15	14	0.41
<b>14.5" Rims</b>			165/60R15	9	0.27	29x9.50R15LT	15	0.44
205/60-14.5LT	12	0.35	175/60R15	10	0.30	30x9.50R15LT	16	0.47
7.00-14.5LT	11	0.33	P185/60R15	11	0.33	31x10.50R15LT	19	0.56
8-14.5LT	13	0.38	P195/60R15	12	0.35	31x11.50R15LT	20	0.59
9-14.5LT	15	0.44	P205/60R15	13	0.38	31x12.50R15LT	22	0.65
<b>15" Rims</b>			P215/60R15	14	0.41	32x11.50R15LT	21	0.62
P155/80(R, D)15	9	0.27	P225/60R15	15	0.44	32x12.5-15LT	25	0.74
P165/80(R, D)15	9	0.27	P235/60R15	16	0.47	33x9.50R15LT	18	0.53
175/80-15, (LT)	10	0.30	P245/60R15	17	0.50	33x10.50R15LT	20	0.59
185/80-15LT	11	0.33	P255/60R15	18	0.53	33x12.50R15LT	24	0.71
P195/80(R, D)15	12	0.35	P265/60R15	19	0.56	35x12.50R15LT	25	0.74
LT215/80R15	14	0.41	P275/60R15	20	0.59	36x14.50R15LT	31	0.92
225/80-15	15	0.44	P295/60R15	22	0.65	37x12.50R15LT	27	0.80
185/75-15LT	11	0.33	P315/60R15	25	0.74	37x14.50-15	32	0.95
(P, LT)195/75R15	12	0.35	LT325/60R15	26	0.77	<b>15.5" Rims</b>		
(P, LT)205/75R15	12	0.35	165/55R15	9	0.27	185/70-15.5LT	11	0.33
(P, LT)215/75R15	13	0.38	175/55R15	10	0.30	195/70-15.5LT	12	0.35
(P, LT)225/75R15	14	0.41	185/55R15	11	0.33	215/60-15.5LT	14	0.41
(P, LT)235/75R15	15	0.44	P195/55R15	12	0.35	<b>16" Rims</b>		
P245/75R15	17	0.50	P205/55R15	13	0.38	185/85-16LT	12	0.35
LT255/75-15	17	0.50	205/55R15	13	0.38	195/85-16LT	13	0.38
(P, LT)265/75R15	19	0.56	215/55-15	14	0.41	205/85-16LT	14	0.41
P175/70R15	10	0.30	P225/55R15	14	0.41	LT215/85R16	15	0.44
P185/70R15	11	0.33	P255/55R15	17	0.50	225/85-16LT	16	0.47
P195/70R15, (LT)	12	0.35	275/55-15	19	0.56	LT235/85R16	17	0.50
P205/70R15	13	0.38	P345/55R15	28	0.83	LT255/85R16	19	0.56
205/70-15LT	13	0.38	125R15	6	0.18	P155/80-16	9	0.27
P215/70R15	14	0.41	135R15	7	0.21	175/80-16	11	0.33
P225/70R15	15	0.44	155R15	9	0.27	195/80-16	12	0.35
P235/70R15	16	0.47	165R15	9	0.27	205/80-16	13	0.38
(P, LT)245/70R15	17	0.50	165-15LT	9	0.27	215/80-16	14	0.41
(P, LT)255/70R15	18	0.53	195-15LT	12	0.35	235/80-16	16	0.47
(P, LT)265/70R15	19	0.56	205-15LT	13	0.38	205/75-16	13	0.38
P275/70R15	20	0.59	215-15LT	14	0.41	P215/75R16	14	0.41
(P, LT)285/70R15	22	0.65	5.60-15	8	0.24	(P, LT)225/75R16	15	0.44
LT315/70R15	25	0.74	6.00-15LT	10	0.30	P235/75R16	16	0.47
145/65R15	8	0.24	6.50-15LT	12	0.35	(P, LT)245/75R16	17	0.50
165/65R15	10	0.30	6.70-15LT, 6.70R15LT	12	0.35	(P, LT)265/75R16	19	0.56
P185/65R15	12	0.35	7.00-15LT, 7.00R15LT	14	0.41	LT285/75R16	22	0.65
P195/65R15	13	0.38	7.10-15LT	13	0.38	LT295/75R16	23	0.68
P205/65R15	13	0.38	7.50-15LT	16	0.47	LT315/75R16	25	0.74
P215/65R15	14	0.41	9.00-15LT	17	0.50	195/70-16LT	12	0.35
225/65-15	15	0.44	10R15LT	12	0.35	205/70-16LT	13	0.38
P235/65R15	16	0.47	11.00-15LT	19	0.56	205/70-16	14	0.41
LT245/65-15	17	0.50	12.00-15LT	24	0.71	(P, LT)215/70R16	15	0.44

# Passenger and Light Truck

## Rims 16" - 22.5"

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
215/70-16	15	0.44	10.00-16.5LT, 10.00R16.5LT	18	0.53	195/60-17.5LT	13	0.38
(P, LT)225/70R16	16	0.47	12.00-16.5LT, 12.00R16.5LT	23	0.68	205/60-17.5LT	14	0.41
225/70-16	16	0.47	31x10.5R16.5LT	19	0.56	225/60-17.5LT	16	0.47
(P, LT)235/70R16	17	0.50	33x12.5R16.5LT	24	0.71	7-17.5LT	13	0.38
(P, LT)245/70R16	18	0.53	35x12.5-16.5LT	26	0.77	8-17.5LT	14	0.41
(P, LT)255/70R16	19	0.56	36x12.5-16.5LT	26	0.77	37x12.5-17.5	30	0.89
(P, LT)265/70R16	20	0.59	37x14.5-16.5	31	0.92	<b>18" Rims</b>		
(P, LT)275/70R16	21	0.62	<b>17" Rims</b>			195/85-18LT	14	0.41
LT305/70R16	25	0.74	LT235/80R17	17	0.50	215/85-18LT	16	0.47
LT315/70R16	26	0.77	P255/75R17	19	0.56	T155/80-18	9	0.27
195/65-16LT	13	0.38	(P, LT)245/70R17	18	0.53	P255/70R18	19	0.56
P205/65R16, (LT)	14	0.41	(P, LT)265/70R17	21	0.62	P265/70R18	20	0.59
P215/65R16	15	0.44	LT275/70R17	22	0.65	P235/65R18	18	0.53
P225/65R16	16	0.47	LT285/70R17	23	0.68	P275/65R18	23	0.68
P235/65R16	17	0.50	LT305/70R17	26	0.77	LT285/65R18	24	0.71
P255/65R16	19	0.56	LT315/70R17	27	0.80	P225/60R18	17	0.50
255/65-16	19	0.56	355/70-17	32	0.95	P245/60R18	19	0.56
P265/65R16	20	0.59	P225/65R17	17	0.50	P265/60R18	21	0.62
P275/65R16	21	0.62	P235/65R17	18	0.53	P275/60R18	22	0.65
P285/65R16	23	0.68	(P, LT)245/65R17	19	0.56	P285/60R18	24	0.71
P295/65R16	24	0.71	P255/65R17	20	0.59	P235/55R18	17	0.50
P205/60R16	13	0.38	P265/65R17	21	0.62	P255/55R18	20	0.59
P215/60-16	15	0.44	P275/65R17	22	0.65	P265/55R18	21	0.62
P225/60-16	15	0.44	P285/65R17	24	0.71	P275/55R18	22	0.65
P235/60R16	16	0.47	P215/60R17	15	0.44	P285/55R18	23	0.68
P255/60R16	18	0.53	P225/60R17	16	0.47	35x12.50R18LT	25	0.74
275/60R16	19	0.56	(P, LT)235/60R17	17	0.50	<b>20" Rims</b>		
(P, LT)285/60R16	22	0.65	P255/60R17	19	0.56	P275/60R20	24	0.71
365/60R16	31	0.92	P275/60R17	21	0.62	255/55-20	20	0.59
P195/55R16	12	0.35	LT285/60-17	23	0.68	P275/55R20	23	0.68
P205/55R16	13	0.38	P215/55R17	15	0.44	LT285/55R20	25	0.74
P215/55R16	14	0.41	P225/55R17	16	0.47	245/50-20	18	0.53
P225/55-16	15	0.44	P235/55R17	17	0.50			
P235/55R16	16	0.47	P255/55R17	19	0.56			
245/55-16	17	0.50	P265/55R17	20	0.59			
LT315/55R16	25	0.74	P275/55R17	21	0.62			
LT345/55R16	29	0.86	LT345/55R17	30	0.89			
205-16LT	13	0.38	33x12.50R17LT	24	0.71			
6.00-16LT	11	0.33	35x12.50R17LT	25	0.74			
6.50-16LT, 6.50R16LT	12	0.35	37x12.50R17LT	27	0.80			
7.00-16LT	15	0.44	38x13.50R17LT	30	0.89			
7.50-16LT, 7.50R16LT	16	0.47	<b>17.5" Rims</b>					
8.25-16LT	18	0.53	225/90-17.5LT	17	0.50			
9.00-16LT	21	0.62	205/80-17.5LT	14	0.41			
<b>16.5" Rims</b>			225/80-17.5LT	16	0.47			
8.00-16.5LT, 8.00R16.5LT	13	0.38	195/70-17.5LT	13	0.38			
8.75-16.5LT, 8.75R16.5LT	15	0.44	205/70-17.5LT	14	0.41			
9.50-16.5LT, 9.50R16.5LT	17	0.50	215/70-17.5LT	15	0.44			

# Highway Trucks and Busses

## Rims 15" - 22.5"

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	High-On/Off way Road		High- way	On/Off Road		High-On/Off way Road		High- way	On/Off Road
<b>15" Rims</b>					14/80R20	<b>53 68</b>		<b>1.57 2.01</b>	
7.50-15 TR, 7.50-15 NHS	<b>25 32</b>		<b>0.74</b>	<b>0.95</b>	14.75/80R20	<b>59 76</b>		<b>1.74 2.25</b>	
8.25-15 TR, 8.25-15 NHS	<b>29 37</b>		<b>0.86</b>	<b>1.09</b>	15.5/80-20	<b>65 83</b>		<b>1.92 2.45</b>	
9.00-15	<b>28 36</b>		<b>0.83</b>	<b>1.06</b>	375/75-20	<b>51 65</b>		<b>1.51 1.92</b>	
9.00-15 TR	<b>33 42</b>		<b>0.98</b>	<b>1.24</b>	425/75-20	<b>75 95</b>		<b>2.22 2.81</b>	
10.00-15 TR	<b>37 47</b>		<b>1.09</b>	<b>1.39</b>	15.50/70-20	<b>74 95</b>		<b>2.19 2.81</b>	
11.00-15 TR	<b>40 51</b>		<b>1.18</b>	<b>1.51</b>	405/70-20	<b>62 79</b>		<b>1.83 2.34</b>	
<b>16" Rims</b>					455/70-20	<b>74 95</b>		<b>2.19 2.81</b>	
13.50/85-16	<b>25 31</b>		<b>0.74</b>	<b>0.92</b>	14.00/70-20	<b>50 63</b>		<b>1.48 1.86</b>	
13.50-16	<b>52 66</b>		<b>1.54</b>	<b>1.95</b>	17.50/65-20	<b>70 90</b>		<b>2.07 2.66</b>	
16.00-16	<b>52 67</b>		<b>1.54</b>	<b>1.98</b>	7.00-20	<b>26 33</b>		<b>0.77 0.98</b>	
38x20-16	<b>69 88</b>		<b>2.04</b>	<b>2.60</b>	7.20-20	<b>23 30</b>		<b>0.68 0.89</b>	
<b>17" Rims</b>					7.50-20	<b>29 37</b>		<b>0.86 1.09</b>	
7.00-17	<b>24 31</b>		<b>0.71</b>	<b>0.92</b>	8.25-20, 8.25R20	<b>33 42</b>		<b>0.98 1.24</b>	
7.50-17, 7.50R17	<b>26 34</b>		<b>0.77</b>	<b>1.01</b>	8.30-20	<b>27 34</b>		<b>0.80 1.01</b>	
8.25-17, 8.25R17	<b>30 39</b>		<b>0.89</b>	<b>1.15</b>	9.00-20, 9.00R20	<b>38 48</b>		<b>1.12 1.42</b>	
<b>17.5" Rims</b>					10.00-20, 10.00R20	<b>42 54</b>		<b>1.24 1.60</b>	
215/75R17.5	<b>25 32</b>		<b>0.74</b>	<b>0.95</b>	10.00-20ML	<b>43 55</b>		<b>1.27 1.63</b>	
215/70-17.5	<b>22 29</b>		<b>0.65</b>	<b>0.86</b>	10.30-20	<b>39 50</b>		<b>1.15 1.48</b>	
235/70-17.5	<b>26 33</b>		<b>0.77</b>	<b>0.98</b>	10.50-20	<b>34 44</b>		<b>1.01 1.30</b>	
205/60-17.5	<b>20 26</b>		<b>0.59</b>	<b>0.77</b>	11.00-20	<b>46 58</b>		<b>1.36 1.72</b>	
235/60-17.5	<b>59 76</b>		<b>1.74</b>	<b>2.25</b>	11.50-20, 11.50R20	<b>46 59</b>		<b>1.36 1.74</b>	
8.50R17.5	<b>25 32</b>		<b>0.74</b>	<b>0.95</b>	12.00-20, 12.00R20	<b>51 65</b>		<b>1.51 1.92</b>	
14-17.5, 14R17.5	<b>45 58</b>		<b>1.33</b>	<b>1.72</b>	12.50-20	<b>49 63</b>		<b>1.45 1.86</b>	
<b>18" Rims</b>					13.00-20, 13.00R20	<b>57 73</b>		<b>1.69 2.16</b>	
7.00-18	<b>25 31</b>		<b>0.74</b>	<b>0.92</b>	13.50-20	<b>52 67</b>		<b>1.54 1.98</b>	
7.50-18, 7.50R18	<b>27 35</b>		<b>0.80</b>	<b>1.04</b>	14.00-20, 14.00R20	<b>66 85</b>		<b>1.95 2.51</b>	
365/70-18	<b>51 65</b>		<b>1.51</b>	<b>1.92</b>	14.50-20	<b>56 71</b>		<b>1.66 2.10</b>	
405/70-18	<b>59 76</b>		<b>1.74</b>	<b>2.25</b>	16.00R20	<b>82 105</b>		<b>2.43 3.11</b>	
<b>19.5" Rims</b>					19.50-20	<b>77 98</b>		<b>2.28 2.90</b>	
225/70R19.5	<b>26 33</b>		<b>0.77</b>	<b>0.98</b>	<b>21" Rims</b>				
245/70R19.5	<b>30 38</b>		<b>0.89</b>	<b>1.12</b>	14.00R21	<b>66 85</b>		<b>1.95 2.51</b>	
265/70R19.5	<b>32 42</b>		<b>0.95</b>	<b>1.24</b>	14.50-21	<b>71 91</b>		<b>2.10 2.69</b>	
285/70-19.5	<b>36 46</b>		<b>1.06</b>	<b>1.36</b>	16.00R21	<b>82 105</b>		<b>2.43 3.11</b>	
305/70R19.5	<b>40 52</b>		<b>1.18</b>	<b>1.54</b>	18.00-21	<b>77 98</b>		<b>2.28 2.90</b>	
445/65R19.5	<b>68 87</b>		<b>2.01</b>	<b>2.57</b>	23.00-21	<b>110 141</b>		<b>3.25 4.17</b>	
435/50R19.5	<b>58 74</b>		<b>1.72</b>	<b>2.19</b>	<b>22" Rims</b>				
8-19.5, 8R19.5	<b>25 32</b>		<b>0.74</b>	<b>0.95</b>	8.20-22	<b>28 36</b>		<b>0.83 1.06</b>	
9.00-19.5	<b>29 38</b>		<b>0.86</b>	<b>1.12</b>	8.30-22	<b>28 36</b>		<b>0.83 1.06</b>	
15-19.5, 15R19.5	<b>56 72</b>		<b>1.66</b>	<b>2.13</b>	9.50-22	<b>34 44</b>		<b>1.01 1.30</b>	
18-19.5, 18R19.5	<b>71 90</b>		<b>2.10</b>	<b>2.66</b>	10.00-22	<b>44 56</b>		<b>1.30 1.66</b>	
19.5-19.5, 19.5R19.5	<b>81 103</b>		<b>2.40</b>	<b>3.05</b>	11.00-22, 11.00R22	<b>48 61</b>		<b>1.42 1.80</b>	
<b>20" Rims</b>					12.00-22	<b>51 65</b>		<b>1.51 1.92</b>	
10.00/90R20	<b>41 52</b>		<b>1.21</b>	<b>1.54</b>	<b>22.5" Rims</b>				
395/85R20	<b>67 86</b>		<b>1.98</b>	<b>2.54</b>	305/85R22.5	<b>40 51</b>		<b>1.18 1.51</b>	
365/80R20	<b>58 74</b>		<b>1.72</b>	<b>2.19</b>	235/80R22.5	<b>48 62</b>		<b>1.42 1.83</b>	
11.00/80-20	<b>38 49</b>		<b>1.12</b>	<b>1.45</b>	255/80R22.5	<b>36 46</b>		<b>1.06 1.36</b>	
13.00/80-20	<b>49 63</b>		<b>1.45</b>	<b>1.86</b>	275/80R22.5	<b>40 51</b>		<b>1.18 1.51</b>	

# Highway Trucks and Busses

## Rims 22.5" - 24.5"

1 oz. = 1 unit on pump

	Ozs.		Liters	
	High-way	On/Off Road	High-way	On/Off Road
295/80R22.5	44	56	1.30	1.66
315/80R22.5	48	61	1.42	1.80
245/75R22.5	33	43	0.98	1.27
265/75R22.5	36	46	1.06	1.36
295/75R22.5	43	55	1.27	1.63
305/75R22.5	45	58	1.33	1.72
235/70-22.5	30	38	0.89	1.12
255/70R22.5	34	43	1.01	1.27
275/70-22.5	38	49	1.12	1.45
295/70-22.5	42	54	1.24	1.60
305/70-22.5	44	56	1.30	1.66
315/70R22.5	46	58	1.36	1.72
365/70-22.5	56	72	1.66	2.13
11.00/70-22.5	38	49	1.12	1.45
385/65R22.5	60	77	1.77	2.28
425/65R22.5	68	87	2.01	2.57
445/65R22.5	73	93	2.16	2.75
265/60-22.5	34	43	1.01	1.27
285/60-22.5	37	48	1.09	1.42
295/60R22.5	39	50	1.15	1.48
315/60R22.5	43	55	1.27	1.63
385/55R22.5	55	70	1.63	2.07
435/50R22.5	63	80	1.86	2.37
8-22.5, 8R22.5	27	35	0.80	1.04
9-22.5, 9R22.5	32	41	0.95	1.21
10-22.5, 10R22.5	37	47	1.09	1.39
11-22.5, 11R22.5	42	54	1.24	1.60
12-22.5, 12R22.5	46	60	1.36	1.77
12.50-22.5, 12.50R22.5	47	60	1.39	1.77
12.75-22.5, 12.75R22.5	48	62	1.42	1.83
13-22.5	53	67	1.57	1.98
15-22.5, 15R22.5	60	77	1.77	2.28
16.5-22.5, 16.5R22.5	69	88	2.04	2.60
18-22.5, 18R22.5	76	97	2.25	2.87
<b>24" Rims</b>				
11.00-24	50	64	1.48	1.89
12.00-24	55	71	1.63	2.10
14.00-24, 14.00R24	72	92	2.13	2.72
17.80-24	86	111	2.54	3.28
18.00-24	118	151	3.49	4.47
18.30-24	110	141	3.25	4.17
20.00-24	108	138	3.19	4.08
<b>24.5" Rims</b>				
275/80R24.5	42	54	1.24	1.60
285/75R24.5	42	54	1.24	1.60
305/75-24.5	47	60	1.39	1.77
11-24.5, 11R24.5	44	56	1.30	1.66
12-24.5, 12R24.5	49	62	1.45	1.83
13.5-24.5, 13.5R24.5	58	74	1.72	2.19

MISC. ABBREVIATIONS USED IN THIS SECTION

FI = Implement  
 K = Compactor  
 MH = Mobile Home  
 ML = Mining Logging  
 NHS = Not For Highway Service  
 SL = Service Limited To Agricultural  
 SS = Skid Steer  
 ST = Special Tire  
 TG = Tractor Grader

**Main Chart** (In-  
 dustrial, Mining/Logging,  
 Agricultural, etc.)

**Rims 4" - 9"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
<b>4" Rims</b>			5.70-8, 5.70-8 NHS	<b>22</b>	<b>0.65</b>
2.80/2.50-4	<b>5</b>	<b>0.15</b>	6.00-8	<b>23</b>	<b>0.68</b>
9/3.50-4	<b>5</b>	<b>0.15</b>	16.50-8	<b>54</b>	<b>1.60</b>
410/3.50-4	<b>9</b>	<b>0.27</b>	18.50-8	<b>68</b>	<b>2.01</b>
2.80-4 NHS	<b>5</b>	<b>0.15</b>	15x 4 1/2 R 8	<b>15</b>	<b>0.44</b>
4.10-4 NHS	<b>9</b>	<b>0.27</b>	16x5.50-8NHS	<b>19</b>	<b>0.56</b>
11x4.00-4NHS	<b>9</b>	<b>0.27</b>	16x 6 R 8	<b>20</b>	<b>0.59</b>
<b>5" Rims</b>			16x6.5-8, 16x6.50-8NHS	<b>21</b>	<b>0.62</b>
3.40/3.00-5	<b>9</b>	<b>0.27</b>	16x7.50-8NHS	<b>24</b>	<b>0.71</b>
4.10/3.50-5	<b>10</b>	<b>0.30</b>	16.5x6.5-8	<b>21</b>	<b>0.62</b>
3.40-5 NHS	<b>7</b>	<b>0.21</b>	17x8-8	<b>28</b>	<b>0.83</b>
3.50-5	<b>9</b>	<b>0.27</b>	18x6.50-8NHS	<b>23</b>	<b>0.68</b>
4.10-5 NHS	<b>9</b>	<b>0.27</b>	18x 7 R 8	<b>25</b>	<b>0.74</b>
11x4.00-5NHS	<b>9</b>	<b>0.27</b>	18X7-8 NHS	<b>25</b>	<b>0.74</b>
11x6-5	<b>13</b>	<b>0.38</b>	18x7.50-8NHS	<b>27</b>	<b>0.80</b>
13x5-5	<b>13</b>	<b>0.38</b>	18x8.5-8, 18x8.50-8NHS	<b>30</b>	<b>0.89</b>
<b>6" Rims</b>			18x9-8 NHS	<b>34</b>	<b>1.01</b>
3.50-6	<b>11</b>	<b>0.33</b>	18x9.5-8, 18x9.50-8NHS	<b>34</b>	<b>1.01</b>
4.10/3.50-6	<b>12</b>	<b>0.35</b>	18.5x8.5-8	<b>31</b>	<b>0.92</b>
5.30/4.50-6	<b>16</b>	<b>0.47</b>	18.5x9.5-8	<b>34</b>	<b>1.01</b>
145/70-6	<b>16</b>	<b>0.47</b>	19x9.50-8NHS	<b>36</b>	<b>1.06</b>
4.00-6	<b>13</b>	<b>0.38</b>	19x10-8	<b>39</b>	<b>1.15</b>
4.10-6 NHS	<b>10</b>	<b>0.30</b>	20x7-8	<b>28</b>	<b>0.83</b>
5.30-6 NHS	<b>16</b>	<b>0.47</b>	20x8.00-8NHS	<b>33</b>	<b>0.98</b>
8.00-6	<b>28</b>	<b>0.83</b>	20x9.00-8NHS	<b>36</b>	<b>1.06</b>
12x11-6	<b>28</b>	<b>0.83</b>	20x10.00-8NHS	<b>41</b>	<b>1.21</b>
13x5.00-6NHS	<b>12</b>	<b>0.35</b>	20.5x7-8	<b>29</b>	<b>0.86</b>
13x6.00-6NHS	<b>16</b>	<b>0.47</b>	20.5x10-8	<b>42</b>	<b>1.24</b>
13x6.50-6NHS	<b>17</b>	<b>0.50</b>	21x11.00-8NHS	<b>46</b>	<b>1.36</b>
14x4.50-6NHS	<b>13</b>	<b>0.38</b>	21x12-8	<b>51</b>	<b>1.51</b>
14x8-6 NHS	<b>22</b>	<b>0.65</b>	22x9-8	<b>40</b>	<b>1.18</b>
15x6.00-6NHS	<b>18</b>	<b>0.53</b>	22x11.00-8NHS	<b>49</b>	<b>1.45</b>
15x6.5-6	<b>19</b>	<b>0.56</b>	22.5x10-8	<b>42</b>	<b>1.24</b>
16x4.5-6	<b>14</b>	<b>0.41</b>	<b>9" Rims</b>		
<b>7" Rims</b>			4.80/4.00-9	<b>17</b>	<b>0.50</b>
450-7	<b>15</b>	<b>0.44</b>	4.00-9SL	<b>16</b>	<b>0.47</b>
480-7	<b>12</b>	<b>0.35</b>	5.00-9	<b>21</b>	<b>0.62</b>
4.80/4.00-7	<b>14</b>	<b>0.41</b>	6.00 R 9	<b>27</b>	<b>0.80</b>
4.00-7	<b>14</b>	<b>0.41</b>	6.00-9 NHS	<b>27</b>	<b>0.80</b>
16x6.5-7	<b>22</b>	<b>0.65</b>	6.90-9, 6.90-9 NHS	<b>30</b>	<b>0.89</b>
<b>8" Rims</b>			6.00/6.90-9	<b>29</b>	<b>0.86</b>
4.80/4.00-8	<b>15</b>	<b>0.44</b>	6.90/6.00-9NHS	<b>30</b>	<b>0.89</b>
5.70/5.00-8	<b>22</b>	<b>0.65</b>	21x8-9 NHS	<b>34</b>	<b>1.01</b>
4.00-8	<b>14</b>	<b>0.41</b>	21x9-9 NHS	<b>39</b>	<b>1.15</b>
4.30-8	<b>13</b>	<b>0.38</b>	22x12-9	<b>54</b>	<b>1.60</b>
4.80-8, 4.80-8 NHS	<b>16</b>	<b>0.47</b>	25x11-9	<b>56</b>	<b>1.66</b>
5.00 R 8	<b>19</b>	<b>0.56</b>	25x12-9	<b>61</b>	<b>1.80</b>
5.00-8 NHS	<b>19</b>	<b>0.56</b>	25x13-9	<b>66</b>	<b>1.95</b>

**Main Chart** (Industrial, Mining/Logging, Agricultural, etc.)

**Rims 10" - 14"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
<b>10" Rims</b>					
205/50-10, 205/50R10	30	0.89	5.70-12 NHS	26	0.77
3.00-10	14	0.41	6-12	28	0.83
3.50-10	17	0.50	7-12	37	1.09
4.00-10	17	0.50	7.00 R 12	41	1.21
4.50-10	21	0.62	7.00-12 NHS	41	1.21
5.00-10	23	0.68	8.25-12	51	1.51
6.00-10	27	0.80	22x7.5-12	33	0.98
6.50 R 10	33	0.98	23x8.50-12NHS, 23x8.50-12 SS	39	1.15
6.50-10, 6.50-10 NHS	33	0.98	23x9-12	42	1.24
7.50L-10SL	40	1.18	23x9.50-12NHS	43	1.27
7.50 R 10	42	1.24	23x10-12 NHS	48	1.42
7.50-10, 7.50-10 NHS	41	1.21	23x10.50-12NHS, 23x10.50-12 SS	48	1.42
9.00-10SL	51	1.51	23.5x8.5-12	40	1.18
9.00L-10 NHS	51	1.51	23.5x11-12 NHS	52	1.54
9.00-10 NHS	52	1.54	24x12-12 NHS, 24x12.00-12 NHS	58	1.72
15L-10 NHS	82	2.43	24x13-12	61	1.80
15.00-10	81	2.40	26x9-12	47	1.39
16x8.5-10	28	0.83	26x10-12	53	1.57
18x8.5-10	31	0.92	26x11-12	58	1.72
18x10.5-10	37	1.09	26x12.00-12NHS, 26x12.00-12 SS	63	1.86
19x8-10	31	0.92	27x10-12 NHS	55	1.63
20x7.5-10	30	0.89	26x14-12	74	2.19
20x8.00-10NHS	30	0.89	26.5x14-12	76	2.25
20x10.00-10NHS	41	1.21	<b>13" Rims</b>		
20.50-10	85	2.51	ST155/80(R, D)13	29	0.86
20.5x8.0-10	33	0.98	ST165/80(R, D)13	31	0.92
21x7.00-10NHS	30	0.89	ST175/80(R, D)13	34	1.01
21x8-10 NHS	34	1.01	ST185/80(R, D)13	36	1.06
22x10-10	45	1.33	6.00-13 NHS	32	0.95
23x8-10 NHS	37	1.09	6.50-13 ST	33	0.98
23x9-10 NHS	42	1.24	A78-13 ST	31	0.92
23x10-10	47	1.39	B78-13 ST	34	1.01
27x9-10 NHS	51	1.51	C78-13 ST	36	1.06
27x15-10 NHS	82	2.43	Y78-13	30	0.89
<b>11" Rims</b>			<b>14" Rims</b>		
23x8-11	37	1.09	ST195/75(R, D)14	40	1.18
24x9-11	43	1.27	ST205/75(R, D)14	42	1.24
24x10-11	49	1.45	ST215/75(R, D)14	46	1.36
<b>12" Rims</b>			4.50-14	25	0.74
10.00/70-12	53	1.57	5.00-14	24	0.71
4.80/4.00-12	20	0.59	6-14	31	0.92
3.00-12	13	0.38	6.00-14SL	37	1.09
4.00-12SL	19	0.56	7-14	40	1.18
4.50-12	21	0.62	7.50-14SL	42	1.24
4.80-12, 4.80-12 NHS	20	0.59	8.5L-14SL	49	1.45
5-12	21	0.62	9.5L-14SL	56	1.66
5.30-12, 5.30-12 NHS	23	0.68	11L-14SL	66	1.95
			E78-14 ST	41	1.21
			F78-14 ST	42	1.24

**Main Chart** (Industrial, Mining/Logging, Agricultural, etc.)

**Rims 14" - 16"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
G78-14 ST	46	1.36	10.00-15 NHS	83	2.45
H78-14 ST	49	1.45	11L-15SL, 11L-15FI	71	2.10
F70-14 ST	44	1.30	11.00-15 NHS	90	2.66
H70-14 ST	51	1.51	12.5-15SL, 12.5-15FI	82	2.43
23x8.50-14 SS	40	1.18	13.50-15FI	86	2.54
25x8.50-14NHS, 25x8.50-14 SS	44	1.30	14.50L-15 NHS	104	3.08
<b>14.5" Rims</b>			E78-15 ST	40	1.18
7.00-14.5MH	39	1.15	F78-15 ST	43	1.27
8.00-14.5MH	45	1.33	G78-15 ST	45	1.33
9.00-14.5MH	54	1.60	H78-15 ST	49	1.45
<b>15" Rims</b>			25x7.50-15NHS	38	1.12
8.5/90-15 K	54	1.60	25x12.50-15NHS	62	1.83
212/80-15	49	1.45	27x8.50-15NHS	46	1.36
ST205/75(R, D)15	44	1.30	27x9.50-15NHS	49	1.45
225/75-15	48	1.42	27x10.50-15NHS	56	1.66
235/75-15	54	1.60	28x8-15	45	1.33
355/65-15	95	2.81	28x9-15 NHS	49	1.45
9.50/65-15	50	1.48	28x12-15 NHS	68	2.01
12.00/65-15	76	2.25	28x13-15 NHS	74	2.19
14.00/65-15	94	2.78	29x8-15 NHS	46	1.36
250-15 NHS	58	1.72	29x10-15	60	1.77
300-15 NHS	79	2.34	29x12.50-15NHS	72	2.13
4.00-15SL	22	0.65	29x14-15	82	2.43
5.00-15SL	27	0.80	30x8-15 NHS	49	1.45
5.50-15	33	0.98	31x10.5-15	65	1.92
5.70-15 NHS	30	0.89	31x12.50-15NHS	77	2.28
5.90-15SL	32	0.95	31x13.50-15NHS	86	2.54
6.00-15	36	1.06	31x15.50-15NHS	98	2.90
6.40-15SL	35	1.04	32x12-15 NHS	79	2.34
6.70-15SL	38	1.12	32x14.5-15	90	2.66
7.00 R 15	46	1.36	32x15-15 NHS	94	2.78
7.00-15 NHS, 7.00-15 SS	49	1.45	33x12.50-15NHS	82	2.43
7.00L-15 NHS	46	1.36	35x15-15 NHS	104	3.08
7.5L-15SL	49	1.45	36x11-15 NHS	80	2.37
7.50 R 15	52	1.54	36x13.50-15NHS	100	2.96
7.50-15 TR, 7.50-15 NHS	55	1.63	38x16-15	123	3.64
7.60-15SL	45	1.33	57x8.5-15	98	2.90
7.75-15 ST	39	1.15	<b>15.3" Rims</b>		
8.25 R 15	62	1.83	12.5/80-15.3	90	2.66
8.25-15 SS	62	1.83	<b>15.5" Rims</b>		
8.25-15 TR, 8.25-15 NHS	63	1.86	400/40-15.5	90	2.66
8.55-15 ST	49	1.45	<b>16" Rims</b>		
9.00-15	62	1.83	ST215/80(R, D)16	51	1.51
9.00-15 NHS	74	2.19	ST235/80(R, D)16	58	1.72
9.50-15FI	49	1.45	10.5/80-16	67	1.98
9.5L-15SL, 9.5L-15FI	59	1.74	12.50/70-16	84	2.48
10.00-15SL	74	2.19	4.00-16	22	0.65
10.00 R 15	79	2.34	4.5-16	37	1.09
10.00L-15 NHS	80	2.37			

**Main Chart** (Industrial, Mining/Logging, Agricultural, etc.)

**Rims 16" - 20"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
5.50-16SL	34	1.01	7.50-17, 7.50R17	58	1.72
6-16	33	0.98	8.25-17, 8.25R17	67	1.98
6.00-16SL	37	1.09	<b>17.5" Rims</b>		
6.50-16SL	41	1.21	8R17.5HC	52	1.54
6.50-16 NHS	42	1.24	9R17.5HC	61	1.80
7-16	43	1.27	10R17.5HC	71	2.10
7.20-16	44	1.30	11R17.5HC	81	2.40
7.50-16SL	52	1.54	14-17.5ML, 14.17.5 NHS	101	2.99
7.50-16 NHS	56	1.66	36x16-17.5NHS	117	3.46
8-16	52	1.54	<b>18" Rims</b>		
8.00-16SL	54	1.60	275/80-18	78	2.31
8.3-16	52	1.54	10.50/80-18	78	2.31
9.00-16SL	62	1.83	12.50/80-18	97	2.87
9.5-16	64	1.89	15.50/70-18	129	3.81
10.00-16SL	77	2.28	275/65-18	78	2.31
11L-16SL	74	2.19	12.50/65-18	86	2.54
11.0-16	90	2.66	15.5/60-18	119	3.52
11.00-16SL	96	2.84	12.0/12.5-18	87	2.57
11.20-16	99	2.93	4.00-18SL	24	0.71
12.00-16	101	2.99	6.00-18	40	1.18
12.4-16	95	2.81	7.00-18	54	1.60
12.5L-16SL	85	2.51	7.50-18SL	55	1.63
13.6-16	109	3.22	7.50-18, 7.50R18	60	1.77
<b>16.1" Rims</b>			8-18	56	1.66
14.5/75-16.1SL	110	3.25	9.50-18	68	2.01
13.50-16.1SL	113	3.34	10.00-18	77	2.28
13.60-16.1	112	3.31	11.00-18	100	2.96
14L-16.1SL	110	3.25	13.00-18	120	3.55
16.5L-16.1SL	141	4.17	<b>19" Rims</b>		
18.4-16.1	167	4.94	4.00-19SL	25	0.74
19L-16.1SL	165	4.88	6.00-19	41	1.21
21.5-16.1	194	5.74	<b>19.5" Rims</b>		
35x19-16.1	126	3.73	285/70-19.5	80	2.37
38x19-16.1	147	4.35	9.00-19.5	65	1.92
38x20.00-16.1	152	4.50	15-19.5ML, 15.19.5 NHS	125	3.70
<b>16.5" Rims</b>			18-19.5ML	158	4.67
10.00-16.5 NHS	64	1.89	40x19-19.5NHS	154	4.55
12.00-16.5 NHS	80	2.37	<b>20" Rims</b>		
12.50-16.5	86	2.54	275/85-20	99	2.93
30.5x12.5-16.5	74	2.19	260/80-20	92	2.72
31x11.5-16.5	72	2.13	275/80-20	96	2.84
31x12.5-16.5	80	2.37	315/80-20	118	3.49
33x14.5-16.5	97	2.87	335/80-20	123	3.64
35x14.5-16.5	103	3.05	345/80-20	134	3.96
37x12.5-16.5	84	2.48	11.00/80-20	100	2.96
<b>17" Rims</b>			15.5/80-20	168	4.97
ST255/75(R, D)17	50	1.48	375/75-20	132	3.90
7.00-17	53	1.57	425/75-20	181	5.35

**Main Chart** (Industrial, Mining/Logging, Agricultural, etc.)

**Rims 20" - 24"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
15.50/70-20	160	4.73	12.00-21ML	134	3.96
405/70-20	132	3.90	14.00-21ML, 14.00R21ML	176	5.20
14.00/70-20	129	3.81	16.00-21NHS, 16.00R21NHS	223	6.59
17.50/65-20	182	5.38	18.00-21	199	5.89
7.00-20	67	1.98	23.00-21	287	8.49
7.20-20	60	1.77	24.00-21	316	9.35
7.50-20SL	69	2.04	27.25-21	384	11.36
8.25-20ML, 8.25-20 NHS	87	2.57	<b>22" Rims</b>		
8.30-20	70	2.07	7.50-22	75	2.22
9.00-20 NHS	100	2.96	8.20-22	74	2.19
9.00-20ML	100	2.96	8.30-22	73	2.16
9.50-20SL	92	2.72	9.50-22	89	2.63
10.00-20 NHS	111	3.28	10.00-22ML	116	3.43
10.00-20ML	111	3.28	11.00-22ML	126	3.73
10.30-20	102	3.02	12.00-22	133	3.93
10.50-20	89	2.63	<b>22.5" Rims</b>		
11.00 R 20	115	3.40	235/70-22.5	78	2.31
11.00-20 NHS, 11.00-20ML	120	3.55	275/70-22.5	99	2.93
11.00-20SL	125	3.70	295/70-22.5	109	3.22
11.10-20	108	3.19	365/70-22.5	146	4.32
11.20-20	109	3.22	11.00/70-22.5	100	2.96
12.00-20 NHS, 12.00R20 NHS	134	3.96	265/60-22.5	87	2.57
12.00-20ML	134	3.96	285/60-22.5	97	2.87
12.50-20	129	3.81	500/60-22.5	218	6.45
13.00-20TG	145	4.29	620/40-22.5	160	4.73
13.50-20	135	3.99	9-22.5ML, 9-22.5 NHS	84	2.48
14.00-20TG	168	4.97	10-22.5ML, 10-22.5 NHS	98	2.90
14.00-20ML, 14.00R20ML	176	5.20	11-22.5ML, 11-22.5 NHS	111	3.28
14.00-20 NHS, 14.00R20 NHS	176	5.20	12-22.5ML, 12-22.5 NHS	123	3.64
14.50-20	145	4.29	13-22.5	137	4.05
18L-20 NHS	190	5.62	13-22.5 NHS	140	4.14
19.50-20	199	5.89	15-22.5ML	158	4.67
38x14.00-20NHS	131	3.87	16.5-22.5ML	181	5.35
38x18.00-20NHS	168	4.97	18-22.5ML	79	2.34
38x20-20	187	5.53	<b>23.5" Rims</b>		
41x14.00-20NHS	141	4.17	23.00-23.5	287	8.49
42x17-20	172	5.09	<b>24" Rims</b>		
42x25.00-20NHS	250	7.39	280/85-24	113	3.34
44x18.00-20NHS	194	5.74	320/75R24	130	3.84
44x41.00-20NHS	421	12.45	420/70R24	187	5.53
47x25-20	282	8.34	445/70-24	204	6.03
48x25.00-20NHS	294	8.69	495/70-24	240	7.10
48x31.00-20NHS	359	10.62	7.20-24	64	1.89
<b>20.5" Rims</b>			7.50-24SL	82	2.43
525/65-20.5	187	5.53	8.3-24	78	2.31
20.50-20.5	212	6.27	9.00-24SL	111	3.28
24.00-20.5	316	9.35	9.5-24	94	2.78
<b>21" Rims</b>			10.00R24TG	121	3.58
130/90-21	38	1.12			

**Main Chart** (In-  
dustrial, Mining/Logging,  
Agricultural, etc.)

**Rims 24" - 28"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
10.00-24ML	121	3.58	1000/50R25	599	17.71
11.00-24ML	132	3.90	66/43.00-25	681	20.14
11.00-24SL	137	4.05	67/34.00-25	546	16.15
11.2-24	117	3.46	11.00-25ML	134	3.96
11.25-24SL	142	4.20	12.00-25ML	146	4.32
12.00-24TG, 12.00R24TG	142	4.20	13.00-25	169	5.00
12.00-24ML, 12.00-24 NHS	146	4.32	14.00-25ML, 14.00R25ML	190	5.62
12.00-24 NHS, 12.00R24 NHS	146	4.32	14.00-25NHS, 14.00R25NHS	190	5.62
12.4-24	136	4.02	15.5-25, 15.5R25	187	5.53
13.00-24TG, 13.00R24TG	158	4.67	16.00-25, 16.00R25	240	7.10
13.00-24ML, 13.00R24ML	165	4.88	17.5-25, 17.5R25	223	6.59
13.00-24 NHS, 13.00R24 NHS	170	5.03	18.00-25, 18.00R25	299	8.84
13.6-24, 13.6R24	155	4.58	20.5-25, 20.5R25	289	8.55
14.00-24TG, 14.00R24TG	181	5.35	21.00-25, 21.00R25	372	11.00
14.00-24ML, 14.00R24ML	190	5.62	22-25	281	8.31
14.00-24 NHS, 14.00R24 NHS	190	5.62	23.5-25, 23.5R25	359	10.62
14.9-24, 14.9R24	178	5.26	24.00-25	455	13.46
15.00-24	193	5.71	26.00-25	426	12.60
16.00-24TG, 16.00R24TG	232	6.86	26.5-25, 26.5R25	438	12.95
16.9-24, 16.9R24	213	6.30	29.5-25, 29.5R25	522	15.44
17.5L-24, 17.5LR24	209	6.18	61x18-25	287	8.49
17.80-24	225	6.65	66x43.00-25NHS	667	19.73
18.00-24	307	9.08	66x44.00-25NHS	707	20.91
18.30-24	287	8.49	67x34.00-25NHS	555	16.41
18.4-24	243	7.19	<b>26" Rims</b>		
19.5L-24, 19.5LR24	247	7.30	428/85-26	214	6.33
20.00-24	280	8.28	520/75-26	278	8.22
21L-24	278	8.22	620/75R26	369	10.91
48x20.00-24NHS	212	6.27	650/75-26	389	11.50
<b>24.5" Rims</b>			750/65-26	465	13.75
305/75-24.5	122	3.61	8.30-26	82	2.43
11.00-24.5ML	117	3.46	9.50-26	99	2.93
<b>25" Rims</b>			11.20-26	122	3.61
385/95R25	195	5.77	12.40-26	142	4.20
445/95R25	242	7.16	13.6-26	161	4.76
505/95-25	294	8.69	14.9-26, 14.9R26	185	5.47
23/90-25	358	10.59	16.9-26, 16.9R26	221	6.54
445/80R25	222	6.57	18.00-26TG	324	9.58
525/80R25	291	8.61	18.4-26, 18.4R26	256	7.57
605/80R25	366	10.82	23.1-26	356	10.53
685/80-25	536	15.85	24.00-26	334	9.88
25/65R25	351	10.38	28L-26, 28LR26	437	12.92
30/65R25	469	13.87	54x31.00-26NHS	402	11.89
555/65R25	281	8.31	66x43.00-26NHS	667	19.73
560/65-25	281	8.31	67x34.00-26NHS	555	16.41
22/65R25	281	8.31	<b>28" Rims</b>		
650/55R25	320	9.46	380/85R28	192	5.68
25/55R25	385	11.39	420/85R28	222	6.57
			440/80R28	232	6.86

**Main Chart** (In-  
dustrial, Mining/Logging,  
Agricultural, etc.)

**Rims 28" - 38"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
380/70R28	176	5.20	73x50.00-32	888	26.26
420/70R28	202	5.97	74x44-32	786	23.24
480/70R28	247	7.30	<b>33" Rims</b>		
600/65R28	328	9.70	35/65-33, 35/65R33	671	19.84
11.2-28	127	3.76	65/35-33	687	20.32
11.25-28SL	154	4.55	18.00-33, 18.00R33	337	9.97
11.90-28	134	3.96	27.00-33	635	18.78
12.4-28	148	4.38	30.00-33	759	22.45
13.6-28, 13.6R28	168	4.97	33.5-33, 33.5R33	709	20.97
14.9-28, 14.9R28	192	5.68	37.5-33, 37.5R33	846	25.02
16.9-28, 16.9R28	229	6.77	<b>34" Rims</b>		
18.4-28, 18.4R28	261	7.72	250/95R34	125	3.70
21.00-28	292	8.64	290/95R34	153	4.52
<b>29" Rims</b>			320/85R34	167	4.94
30/65-29, 30/65R29	498	14.73	380/85-34	214	6.33
17.50-29	235	6.95	385/85R34	218	6.45
24.00-29	479	14.17	420/85R34	246	7.28
26.5-29, 26.5R29	463	13.69	480/85R34	300	8.87
29.5-29, 29.5R29	550	16.27	650/75R34	441	13.04
33.25-29, 33.25R29	656	19.40	710/75R34	514	15.20
<b>30" Rims</b>			480/70R34	274	8.10
420/90R30	237	7.01	520/70R34	305	9.02
380/85R30	199	5.89	540/65R34	321	9.49
480/70R30	256	7.57	11.2-34	143	4.23
600/700R30	353	10.44	14.9R34	214	6.33
540/65R30	300	8.87	16.9-34, 16.9R34	253	7.48
6.00-30	61	1.80	18.4-34, 18.4R34	292	8.64
7.20-30	73	2.16	20.8-34, 20.8R34	340	10.06
12.40-30	153	4.52	23.1-34, 23.1R34	395	11.68
14.9-30, 14.9R30	200	5.91	<b>35" Rims</b>		
16.9-30, 16.9R30	241	7.13	21.00-35, 21.00R35	426	12.60
18.4-30	274	8.10	24.00-35, 24.00R35	516	15.26
23.1-30	372	11.00	29.5-35, 29.5R35	593	17.54
67x34.00-30NHS	555	16.41	33.25-35, 33.25R35	704	20.82
<b>32" Rims</b>			37.25-35, 37.25R35	840	24.84
500/95-32	340	10.06	<b>36" Rims</b>		
650/75R32	429	12.69	230/95-36	116	3.43
800/65R32	550	16.27	270/95-36	143	4.23
VA 1050/50R32	726	21.47	9.5-36	121	3.58
9.5-32	112	3.31	11.2-36	149	4.41
12.4-32	159	4.70	12.4-36	171	5.06
16.90-32	236	6.98	13.6-36	193	5.71
24.5-32, 24.5R32	424	12.54	13.90-36	195	5.77
30.5L-32, 30.5LR32	532	15.73	14.90-36	222	6.57
33.50-32	590	17.45	16.90-36	241	7.13
35.5-32	664	19.64	<b>38" Rims</b>		
68x50.00-32	828	24.49	290/90R38	160	4.73
73x44.00-32	781	23.10	320/85R38	180	5.32

**Main Chart** (In-  
dustrial, Mining/Logging,  
Agricultural, etc.)

**Rims 38" - 59.5"**

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
520/85R38	355	10.50	320/90R46		
380/80R38	223	6.59	380/90R46	208	6.15
480/80R38	309	9.14	340/85R46	262	7.75
520/70R38	325	9.61	520/85R46	222	6.57
580/70R38	381	11.27	420/80R46	393	11.62
710/70R38	522	15.44	480/80R46	287	8.49
800/70R38	618	18.28	620/70R46	345	10.20
11.2-38	154	4.55	13.6-46	473	13.99
12.4-38	177	5.23	14.9R46	227	6.71
13.6-38	201	5.94	18.4R46	257	7.60
14.9-38	228	6.74	<b>48" Rims</b>	340	10.06
15.5-38, 15.5R38	230	6.80	230/95R48		
16.9-38, 16.9R38	270	7.98	<b>49" Rims</b>	141	4.17
18.4-38, 18.4R38	305	9.02	18.00-49		
20.8-38, 20.8R38	360	10.65	21.00-49	412	12.18
<b>39" Rims</b>			24.00-49, 24.00R49	501	14.82
40.5/75R39	987	29.19	27.00-49, 27.00R49	603	17.83
41.25/70-39	955	28.24	<b>50" Rims</b>	725	21.44
40/65-39, 40/65R39	889	26.29	250/95R50		
45/65R39	1072	31.70	320/90R50	163	4.82
65/40-39	923	27.30	380/90R50	220	6.51
33.5-39, 33.5R39	758	22.42	480/80R50	277	8.19
37.5-39, 37.5-39	900	26.62	<b>51" Rims</b>	364	10.76
38-39	874	25.85	49/75-51		
<b>42" Rims</b>			50/65-51, 50/65R51	1533	45.34
290/90R42	171	5.06	30.00-51, 30.00R51	1415	41.85
320/90R42	196	5.80	33.00-51, 33.00R51	871	25.76
520/85R42	372	11.00	36.00-51, 36.00R51	996	29.46
480/80R42	327	9.67	37.5-51, 37.5R51	1163	34.39
580/70R42	403	11.92	67-51	1008	29.81
620/70R42	450	13.31	<b>53" Rims</b>	2167	64.09
710/70R42	549	16.24	39/90-53		
650/65R42	459	13.57	<b>54" Rims</b>	1253	37.06
900/50R42	648	19.16	270/95-54		
9.5-42	134	3.96	320/90R54	189	5.59
12.4-42	189	5.59	380/90R54	232	6.86
18.4-42, 18.4R42	323	9.55	12.4R54	291	8.61
20.8-42, 20.8R42	380	11.24	<b>56.5" Rims</b>	225	6.65
<b>43" Rims</b>			27.00-56.5		
24.00-43	579	17.12	30.00-56.5	603	17.83
<b>44" Rims</b>			<b>57" Rims</b>	725	21.44
210/95-44	118	3.49	50/80-57		
230/95-44	133	3.93	37.00R57	1667	49.30
<b>45" Rims</b>			40.00-57, 40.00R57	1273	37.65
45/65-45, 45/65R45	1137	33.63	49.5-57	1438	42.53
65/45-45	1117	33.03	<b>59.5" Rims</b>	1697	50.19
<b>46" Rims</b>			33.00-59.5		
270/95-46	169	5.00	36.00-59.5	855	25.29
			39.00-59.5	1002	29.63

# All Terrain Vehicles

	Ozs.	Liters		Ozs.	Liters
<b>7" Rims</b>					
AT16x8-7	13	0.38			
AT18x7-7	13	0.38			
AT18x8-7	14	0.41			
<b>8" Rims</b>					
AT16x6.50-8	10	0.30			
AT16x7.50-8	12	0.35			
AT18x5.50-8	10	0.30			
AT18x8.5-8	15	0.44			
AT18x9.5-8	17	0.50			
AT18x10-8	18	0.53			
AT18x11-8	20	0.59			
AT19x8-8	15	0.44			
AT19x9-8	17	0.50			
AT20x7-8	14	0.41			
AT20x8-8	15	0.44			
AT20x9-8	18	0.53			
AT20x9.5-8	16	0.47			
AT20x10-8	21	0.62			
AT20x11-8	16	0.47			
AT21x7-8	15	0.44			
AT21x9-8	19	0.56			
AT21x11-8	23	0.68			
AT21x12-8	25	0.74			
AT21x12.5-8	28	0.83			
AT22x9-8	20	0.59			
AT22x10-8	22	0.65			
AT22x11-8	24	0.71			
AT22x12-8	24	0.71			
AT22.5x10-8	21	0.62			
AT23x10-8	23	0.68			
<b>9" Rims</b>					
AT18x11-9	20	0.59			
AT20x7-9	14	0.41			
AT20x10-9	20	0.59			
AT20x11-9	22	0.65			
AT21x7-9	14	0.41			
AT21x8-9	17	0.50			
AT21x11-9	23	0.68			
AT21x12.5-9	27	0.80			
AT22x7-9	15	0.44			
AT22x8-9	18	0.53			
AT22x10-9	22	0.65			
AT22x11-9	24	0.71			
AT23x11-9	25	0.74			
AT23x12-9	28	0.83			
AT24x11-9	27	0.80			
AT24x13-9	31	0.92			
AT25x11-9	28	0.83			
AT25x12-9	30	0.89			
			AT25x13-9	31	0.92
			<b>10" Rims</b>		
			AT18x10-10	18	0.53
			AT18x11-10	20	0.59
			AT19x6-10	12	0.35
			AT20x7-10	14	0.41
			AT20x8-10	16	0.47
			AT20x10-10	20	0.59
			AT20x11-10	22	0.65
			AT21x7-10	15	0.44
			AT21x10-10	21	0.62
			AT21x12.5-10	25	0.74
			AT22x7-10	15	0.44
			AT22x8-10	18	0.53
			AT22x9-10	20	0.59
			AT22x10-10	22	0.65
			AT22x11-10	24	0.71
			AT23x7-10	16	0.47
			AT23x8-10	18	0.53
			AT23x10-10	23	0.68
			AT23x11-10	25	0.74
			AT24x11-10	27	0.80
			AT24x12-10	27	0.80
			AT25x8-10	20	0.59
			AT25x11-10	28	0.83
			AT25x12-10	30	0.89
			<b>11" Rims</b>		
			AT22x7-11	15	0.44
			AT23x8-11	18	0.53
			AT24x8-11	19	0.56
			AT24x9-11	21	0.62
			AT24x10-11	24	0.71
			<b>12" Rims</b>		
			204/90-12	21	0.62
			254/70-12	21	0.62
			AT23x8-12	18	0.53
			AT23x10-12	23	0.68
			AT24x8-12	19	0.56
			AT24x9-12	22	0.65
			AT24x11-12	26	0.77
			AT25x8-12	20	0.59
			AT25x10-12	25	0.74
			AT26x8-12	21	0.62
			AT26x9-12	23	0.68
			AT26x10-12	26	0.77
			AT26x11-12	29	0.86
			AT26x12-12	31	0.92
			AT27x9.5-12	26	0.77
			AT28x9.5-12	27	0.80

# Motorcycles and Scooters

## Rims 6" - 17"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
<b>6" Rims</b>			6.7-12	<b>12</b>	<b>0.35</b>	100/80-16	<b>7</b>	<b>0.21</b>
130/90-6	<b>7</b>	<b>0.21</b>	<b>13" Rims</b>			110/80-16	<b>8</b>	<b>0.24</b>
145/70-6	<b>6</b>	<b>0.18</b>	110/90-13	<b>7</b>	<b>0.21</b>	120/80-16	<b>9</b>	<b>0.27</b>
5.4-6	<b>6</b>	<b>0.18</b>	120/70-13	<b>7</b>	<b>0.21</b>	130/80-16	<b>10</b>	<b>0.30</b>
<b>8" Rims</b>			130/70-13	<b>8</b>	<b>0.24</b>	140/80-16	<b>11</b>	<b>0.33</b>
70/100-8	<b>3</b>	<b>0.09</b>	110/60-13	<b>6</b>	<b>0.18</b>	150/80-16	<b>12</b>	<b>0.35</b>
3.00-8	<b>4</b>	<b>0.12</b>	130/60-13	<b>8</b>	<b>0.24</b>	160/80-16	<b>13</b>	<b>0.38</b>
3.50-8	<b>4</b>	<b>0.12</b>	140/60-13	<b>9</b>	<b>0.27</b>	180/80-16	<b>15</b>	<b>0.44</b>
4.00-8	<b>5</b>	<b>0.15</b>	<b>14" Rims</b>			110/70-16	<b>8</b>	<b>0.24</b>
<b>10" Rims</b>			90/100-14	<b>7</b>	<b>0.21</b>	120/70-16	<b>8</b>	<b>0.24</b>
80/100-10	<b>4</b>	<b>0.12</b>	90/90-14	<b>6</b>	<b>0.18</b>	130/70-16	<b>9</b>	<b>0.27</b>
90/100-10	<b>5</b>	<b>0.15</b>	180/80-14	<b>15</b>	<b>0.44</b>	180/70-16	<b>15</b>	<b>0.44</b>
80/90-10	<b>4</b>	<b>0.12</b>	120/70-14	<b>8</b>	<b>0.24</b>	200/60-16	<b>16</b>	<b>0.47</b>
90/90-10	<b>5</b>	<b>0.15</b>	140/70-14	<b>10</b>	<b>0.30</b>	2.00-16	<b>3</b>	<b>0.09</b>
100/90-10	<b>5</b>	<b>0.15</b>	150/70-14	<b>11</b>	<b>0.33</b>	2.25-16	<b>4</b>	<b>0.12</b>
110/90-10	<b>6</b>	<b>0.18</b>	140/40-14	<b>8</b>	<b>0.24</b>	2.50-16	<b>4</b>	<b>0.12</b>
120/90-10	<b>7</b>	<b>0.21</b>	2.25-14	<b>4</b>	<b>0.12</b>	2.75-16	<b>5</b>	<b>0.15</b>
130/90-10	<b>8</b>	<b>0.24</b>	2.50-14	<b>4</b>	<b>0.12</b>	3.00-16	<b>6</b>	<b>0.18</b>
90/80-10	<b>4</b>	<b>0.12</b>	2.75-14	<b>5</b>	<b>0.15</b>	3.50-16	<b>7</b>	<b>0.21</b>
100/80-10	<b>5</b>	<b>0.15</b>	3.00-14	<b>5</b>	<b>0.15</b>	4.60-16	<b>8</b>	<b>0.24</b>
110/80-10	<b>6</b>	<b>0.18</b>	3.60-14	<b>5</b>	<b>0.15</b>	T90-16	<b>10</b>	<b>0.30</b>
120/80-10	<b>7</b>	<b>0.21</b>	5.4-14	<b>10</b>	<b>0.30</b>	U90-16	<b>12</b>	<b>0.35</b>
120/70-10	<b>6</b>	<b>0.18</b>	<b>15" Rims</b>			R85-16	<b>9</b>	<b>0.27</b>
130/70-10	<b>7</b>	<b>0.21</b>	130/90-15	<b>10</b>	<b>0.30</b>	<b>17" Rims</b>		
2.50-10	<b>3</b>	<b>0.09</b>	140/90-15	<b>11</b>	<b>0.33</b>	70/100-17	<b>5</b>	<b>0.15</b>
2.75-10	<b>4</b>	<b>0.12</b>	150/90-15	<b>12</b>	<b>0.35</b>	100/100-17	<b>9</b>	<b>0.27</b>
3.00-10	<b>4</b>	<b>0.12</b>	140/80-15	<b>11</b>	<b>0.33</b>	110/100-17	<b>10</b>	<b>0.30</b>
3.50-10	<b>5</b>	<b>0.15</b>	150/80-15	<b>12</b>	<b>0.35</b>	80/90-17	<b>6</b>	<b>0.18</b>
4.00-10	<b>6</b>	<b>0.18</b>	160/80-15	<b>13</b>	<b>0.38</b>	90/90-17	<b>7</b>	<b>0.21</b>
5.4-10	<b>8</b>	<b>0.24</b>	170/80-15	<b>14</b>	<b>0.41</b>	100/90-17	<b>8</b>	<b>0.24</b>
6.7-10	<b>11</b>	<b>0.33</b>	140/70-15	<b>10</b>	<b>0.30</b>	110/90-17	<b>9</b>	<b>0.27</b>
<b>11" Rims</b>			2.50-15	<b>4</b>	<b>0.12</b>	120/90-17	<b>10</b>	<b>0.30</b>
120/70-11			2.75-15	<b>5</b>	<b>0.15</b>	130/90-17	<b>11</b>	<b>0.33</b>
<b>12" Rims</b>			U90-15	<b>11</b>	<b>0.33</b>	90/80-17	<b>6</b>	<b>0.18</b>
80/100-12	<b>7</b>	<b>0.21</b>	V90-15	<b>12</b>	<b>0.35</b>	100/80-17	<b>7</b>	<b>0.21</b>
110/100-12	<b>7</b>	<b>0.21</b>	V85-15	<b>13</b>	<b>0.38</b>	110/80-17	<b>8</b>	<b>0.24</b>
90/90-12	<b>5</b>	<b>0.15</b>	<b>16" Rims</b>			120/80-17	<b>9</b>	<b>0.27</b>
100/90-12	<b>6</b>	<b>0.18</b>	80/100-16	<b>6</b>	<b>0.18</b>	130/80-17	<b>10</b>	<b>0.30</b>
110/90-12	<b>7</b>	<b>0.21</b>	90/100-16	<b>8</b>	<b>0.24</b>	140/80-17	<b>12</b>	<b>0.35</b>
120/80-12	<b>7</b>	<b>0.21</b>	80/90-16	<b>5</b>	<b>0.15</b>	150/80-17	<b>13</b>	<b>0.38</b>
110/70-12	<b>6</b>	<b>0.18</b>	90/90-16	<b>6</b>	<b>0.18</b>	100/70-17	<b>7</b>	<b>0.21</b>
120/70-12	<b>7</b>	<b>0.21</b>	100/90-16	<b>7</b>	<b>0.21</b>	110/70-17	<b>8</b>	<b>0.24</b>
130/70-12	<b>8</b>	<b>0.24</b>	110/90-16	<b>8</b>	<b>0.24</b>	120/70-17	<b>9</b>	<b>0.27</b>
140/70-12	<b>9</b>	<b>0.27</b>	120/90-16	<b>9</b>	<b>0.27</b>	130/70-17	<b>10</b>	<b>0.30</b>
2.75-12	<b>4</b>	<b>0.12</b>	130/90-16	<b>10</b>	<b>0.30</b>	140/70-17	<b>11</b>	<b>0.33</b>
3.00-12	<b>5</b>	<b>0.15</b>	140/90-16	<b>12</b>	<b>0.35</b>	150/70-17	<b>12</b>	<b>0.35</b>
4.00-12	<b>7</b>	<b>0.21</b>	80/80-16	<b>5</b>	<b>0.15</b>	160/70-17	<b>13</b>	<b>0.38</b>
4.50-12	<b>9</b>	<b>0.27</b>	90/80-16	<b>6</b>	<b>0.18</b>	120/60-17	<b>9</b>	<b>0.27</b>

# Motorcycles and Scooters

## Rims 17" - 23"

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
130/60-17	9	0.27	160/60-18	13	0.38	M90-19	8	0.24
140/60-17	10	0.30	170/60-18	14	0.41	<b>21" Rims</b>		
150/60-17	11	0.33	180/55-18	14	0.41	70/100-21	6	0.18
160/60-17	12	0.35	180/50-18	14	0.41	80/100-21	7	0.21
170/60-17	13	0.38	2.25-18	4	0.12	80/90-21	7	0.21
160/55-17	12	0.35	2.50-18	5	0.15	90/90-21	8	0.24
170/55-17	13	0.38	2.75-18	6	0.18	80/80-21	7	0.21
180/55-17	14	0.41	3.00-18	6	0.18	100/80-21	9	0.27
180/50-17	14	0.41	3.25-18	7	0.21	2.50-21	5	0.15
190/50-17	15	0.44	3.50-18	7	0.21	2.75-21	6	0.18
2.00-17	3	0.09	3.60-18	8	0.24	3.00-21	7	0.21
2.25-17	4	0.12	4.00-18	9	0.27	3.25-21	9	0.27
2.50-17	5	0.15	4.10-18	8	0.24	H90-21	7	0.21
2.75-17	5	0.15	4.25-18	9	0.27	<b>23" Rims</b>		
3.00-17	6	0.18	4.50-18	10	0.30	3.00-23	8	0.24
3.25-17	7	0.21	4.60-18	9	0.27			
3.50-17	8	0.24	5.10-18	11	0.33			
4.50-17	10	0.30	J90-18	7	0.21			
4.60-17	9	0.27	L90-18	7	0.21			
5.00-17	11	0.33	M90-18	7	0.21			
5.10-17	10	0.30	N90-18	9	0.27			
S90-17	10	0.30	P90-18	9	0.27			
T90-17	10	0.30	R90-18	10	0.30			
<b>18" Rims</b>			P85-18	9	0.27			
90/100-18	7	0.21	S85-18	10	0.30			
100/100-18	10	0.30	T85-18	11	0.33			
110/100-18	11	0.33	T80-18	11	0.33			
120/100-18	11	0.33	<b>19" Rims</b>					
90/90-18	7	0.21	70/100-19	6	0.18			
100/90-18	8	0.24	90/100-19	7	0.21			
110/90-18	9	0.27	100/100-19	10	0.30			
120/90-18	10	0.30	110/100-19	11	0.33			
130/90-18	11	0.33	70/90-19	5	0.15			
4.25/85-18	9	0.27	90/90-19	7	0.21			
100/80-18	8	0.24	100/90-19	8	0.24			
110/80-18	9	0.27	110/90-19	9	0.27			
120/80-18	10	0.30	120/90-19	12	0.35			
130/80-18	11	0.33	110/80-19	9	0.27			
140/80-18	13	0.38	2.00-19	4	0.12			
150/80-18	13	0.38	2.50-19	5	0.15			
120/70-18	9	0.27	2.75-19	6	0.18			
130/70-18	10	0.30	3.00-19	6	0.18			
140/70-18	11	0.33	3.25-19	8	0.24			
150/70-18	12	0.35	3.50-19	8	0.24			
160/70-18	14	0.41	3.60-19	7	0.21			
130/60-18	10	0.30	4.10-19	8	0.24			
140/60-18	11	0.33	J90-19	7	0.21			
150/60-18	12	0.35	L90-19	7	0.21			

# Bicycles

	Ozs.	Liters		Ozs.	Liters
<b>12" Rims</b>			1.40-26	<b>4</b>	<b>0.12</b>
1.75-12	<b>2</b>	<b>0.06</b>	1.50-26	<b>5</b>	<b>0.15</b>
2.00-12	<b>3</b>	<b>0.09</b>	1 3/4-26	<b>5</b>	<b>0.15</b>
2.75-12	<b>3</b>	<b>0.09</b>	2.00-26	<b>5</b>	<b>0.15</b>
<b>12.5" Rims</b>			2.125-26	<b>5</b>	<b>0.15</b>
2.5-12.5	<b>3</b>	<b>0.09</b>	2.25-26	<b>5</b>	<b>0.15</b>
<b>14" Rims</b>			2 1/2-26	<b>5</b>	<b>0.15</b>
1.00-14	<b>2</b>	<b>0.06</b>	3.00-26	<b>5</b>	<b>0.15</b>
1.5-14	<b>2</b>	<b>0.06</b>	<b>27"</b>		
1.75-14	<b>2</b>	<b>0.06</b>	1 3/16-27	<b>3</b>	<b>0.09</b>
2.00-14	<b>3</b>	<b>0.09</b>	1.00-27	<b>3</b>	<b>0.09</b>
2.25-14	<b>3</b>	<b>0.09</b>	1 1/8-27	<b>3</b>	<b>0.09</b>
<b>16" Rims</b>			1 1/4-27	<b>3</b>	<b>0.09</b>
1.00-16	<b>2</b>	<b>0.06</b>	1 3/8-27	<b>5</b>	<b>0.15</b>
1.50-16	<b>2</b>	<b>0.06</b>	1.75-27	<b>5</b>	<b>0.15</b>
1.75-16	<b>3</b>	<b>0.09</b>			
2.00-16	<b>3</b>	<b>0.09</b>			
2.25-16	<b>4</b>	<b>0.12</b>			
<b>18" Rims</b>					
1.00-18	<b>2</b>	<b>0.06</b>			
1.50-18	<b>3</b>	<b>0.09</b>			
1.75-18	<b>3</b>	<b>0.09</b>			
2.00-18	<b>4</b>	<b>0.12</b>			
2.50-18	<b>4</b>	<b>0.12</b>			
<b>20" Rims</b>					
1.00-20	<b>2</b>	<b>0.06</b>			
1.50-20	<b>3</b>	<b>0.09</b>			
1.75-20	<b>4</b>	<b>0.12</b>			
2.00-20	<b>4</b>	<b>0.12</b>			
2.125-20	<b>5</b>	<b>0.15</b>			
2.25-20	<b>5</b>	<b>0.15</b>			
<b>22" Rims</b>					
3/8-22	<b>3</b>	<b>0.09</b>			
1 1/2-22	<b>4</b>	<b>0.12</b>			
1 3/4-22	<b>4</b>	<b>0.12</b>			
<b>24" Rims</b>					
1.00-24	<b>2</b>	<b>0.06</b>			
1 3/8-24	<b>3</b>	<b>0.09</b>			
1 1/2-24	<b>4</b>	<b>0.12</b>			
1.75-24	<b>4</b>	<b>0.12</b>			
2.00-24	<b>5</b>	<b>0.15</b>			
2.25-24	<b>5</b>	<b>0.15</b>			
<b>25" Rims</b>					
1 3/8-25	<b>4</b>	<b>0.12</b>			
<b>26" Rims</b>					
1.00-26	<b>3</b>	<b>0.09</b>			
1 3/8-26	<b>4</b>	<b>0.12</b>			